

Super Container Desiccants Dry Guard S-1000g, 750g & 500g **Usage Instructions**

How to use Dry Guard S

Container inspection

Check whether the container is damaged, whether there is a hole or crack on the container wall, the top and bottom. Container doors can be closed tightly and the seal must be good. The container must be dry and clean before loading.

Humidity inspection of container wood floor

If possible, do not use container with wood floor humidity over 20%, it would increase the risk of dampness. Or you need to increase the dosage of desiccant. You may test the humidity with our Timber Humidity Tester.

Seal air-vents:

Pick the printed adhesive sheets from the carton, seal all air-vents on the container wall. Very

Desiccant plays an effective role only in a closed environment. If the container door is not shut tightly, or there is damage on the container or the air-vents inside the container are not sealed, desiccant will never be able to absorb up the moisture that continually enters from outside.

- Inspect PE bags and cartons to ensure no damage during transportation.
- Open the package and hang Dry Guard S up on the iron hook on the container wall, as shown in pincture. In normal case, use 4~6kg per 20' container, 8~12kg per 40'container, use 10~14kg per 40' high container.

For porfessional advice of desiccant dosage, please contact Topsorb!

- Put 2 pcs of Dry Guard S in the space close to the container doors.
- Load the cargo into the container, which has been equipped with desiccants.
- Close container doors.
- Storage: Avoid rain and damp, being stored in dry and shady places. For remained desiccant, please tie or seal PE bags and the package,

Dry Guard S-1000g waiting for the next use.







■ Application area

Widely used in many industries and fields, including: semiconductor, electronic products, metal, military products, precise instruments, mechanical equipments, food packaging, canned food, pet food, textile, furnishings, leather products, agricultural products, container cargo transportation and warehouse...